



**ACOUSTIC
INSPIRATION**

IMPRESSUM

CONCEPT
Amadeus Schneider | schneiderbrett.com
Daniel Rohrer | CIRKEL.ch

PHOTOGRAPHY
Michal Florence Schorro
Nicolas Duc
Sandro Mazzola (Cover Shot)
Severin Ettlin
Terence Du Fresne
Yosuke Kojima

LAYOUT & GRAPHICS
Amadeus Schneider | schneiderbrett.com

TEXT
Daniel Rohrer | CIRKEL.ch

PRINT
Fromm Druck GmbH | druckhaus-fromm.de

COMPANY
ECHOJAZZ AG
Ringstrasse 25
CH-6010 Kriens
Schweiz
www.echojazz.com
info@echojazz.com
+41 41 340 18 80
Commercial register no.: CHE-382.449.661
Commercial Register Office: Luzern

VERSION
EN-20211223

VALID UNTIL
30.06.2022



DIGITAL VERSION
www.echojazz.com/download/brochure



TABLE OF CONTENTS

COMPANY PROFILE	6
ACOUSTIC INSPIRATION	8
SUSTAINABILITY BY DESIGN	10
ACOUSTICS AND ENVIRONMENT	12
HIGH PERFORMANCE	
ACOUSTIC MATERIAL	
ECHOBOARD®	16
DATA SHEET ECHOBOARD® 12MM	20
COLOURS ECHOBOARD® 12MM	21
DATA SHEET ECHOBOARD® 24MM	24
COLOURS ECHOBOARD® 24MM	25
ECHOACOUSTIC®	26
DATA SHEET ECHOACOUSTIC® 25MM	30
COLOURS ECHOACOUSTIC® 25MM	31
ECHOFLAKES®	32
ACOUSTIC PRODUCTS	
ACOUSTIC-CEILINGS	37
ECHOSAIL®	38
ECHOBaffle®	42
ECHOGRID®	46
ACOUSTIC-LIGHTING	51
ECHOLED® EQ4	52
ECHOLED® UMBRA	56
ECHOLED® LINEAR	60
ECHOLED® Baffle	64
ACOUSTIC-WALLS	69
ECHOFIELD®	70
ECHOBRIck®	74
ECHOMONOC®	80
ACOUSTIC-PARTITIONS	85
ECHOCURTAIN®	86
ECHOTORRENT®	90
ECHOCOVE® ECO	94
ECHOCOVE® PALING	100
ECHOCOVE® STAND	104
ECHOCOVE® MOVE	108
ECHOCOVE® DESK	112
ACOUSTIC-FURNITURE	119
ECHOCRATE®	120
ECHOTOWER®	124
MCART	128
ECHOBX®	132
ADDITIONAL ITEMS	137
ECHOACOUSTIC® 25MM PROFILE	139
ECHOBaffle® OPTIONS	141
ECHOLED® EQ4 PIN BY BARTENBACH	143
ECHOLED® LINEAR LED	143
ECHOCOVE® JOINER	145
ECHOCOVE® DESK ADAPTER	147
MCART ELECTRICAL SOCKET	149
ECHOCRATE® SUSPENSION PROFILE	151
CREATE	
COLOURS	155
PERFORATIONS	159

Customised high-performance sound absorbers for a noticeable improvement in well-being and room quality. ECHOJAZZ EchoBoards® are made from recycled PET bottles. 100% Swiss design, 100% zero waste.



COMPANY PROFILE

COMPANY PROFILE

MATERIAL

CEILING

LIGHTING

WALLS

PARTITIONS

FURNITURE

ADDITIONAL ITEMS

CREATE

ACOUSTIC INSPIRATION

Ecological, robust and flexible high-performance sound absorbers made from recycled PET bottles, tailor-made for individual solutions to increase comfort and room quality in architecture, gastronomy, creative industries, open office spaces, school buildings, swimming pools, hotelery and your home. 100% Swiss design, 100% zero waste.

Made from 74 PET bottles per square metre, we process our ECHO**JAZZ** EchoBoards® into functional design elements. The soft, felt-like feel matches a wide range of natural materials such as stone, concrete, wood, metal and glass. ECHO**JAZZ** products are fire protection certified and available in up to 34 colours. Staged as a real eye-catcher or cleverly concealed - ECHO**JAZZ** improves the feeling of space in a noticeably pleasant way and with a lasting effect.



ECHOCURTAIN®



ECHOCOVE® DESK



ECHOTOWER®



SUSTAINABILITY BY DESIGN

To noticeably improve well-being and room quality, we create high-performance sound absorbers for architecture, gastronomy, creative industries, open office spaces and your home. Our ready-made products are designed for you in Kriens and have the highest standards of design and simplicity.

More ecological, more robust and more flexible in use than any other comparable product: all our products are based on the use of durable high-tech felt made from 100% PET. It was our upmost goal to ensure that the ECHOJAZZ products contain the highest possible proportion of recycled PET material and that the result is deceptively close to the beauty and properties of traditional wool.

Our product is for your project: We take care of individual and tailor-made solutions that address a wide range of projects and offer a large range of smart standard products.

And after the project is before the project: Through our stewardship programme, we can recycle 100% of used ECHOJAZZ products.

[COMPANY PROFILE](#)[MATERIAL](#)[CEILING](#)[LIGHTING](#)[WALLS](#)[PARTITIONS](#)[FURNITURE](#)[ADDITIONAL ITEMS](#)[CREATE](#)

ACOUSTICS AND ENVIRONMENT


At ECHOJAZZ, we combine sustainability with the simplicity of design of highest and most vanguard standards. In order not to burden our nature, only the cycle comes into question for us: recycled raw materials, recyclable products, zero waste.

From disposable plastic to high-quality end products for the design industry: for our products we use 100% PET with a minimum of 50% recycled PET. Compared to the production of virgin PET, the use of recycled PET saves up to 84% of the energy. Individual products are complemented with recycled and recyclable steel

Closed loop: ECHOJAZZ is the only manufacturer to offer a take-back programme for all products. This means that all products can be returned for recycling at the end of their life cycle.

100% Zero Waste: We generate raw material for new products from used products and the residual material created during production.

On to the emission-free future: ECHOJAZZ products are already processed locally in Kriens, and we aim to have as many raw materials as possible manufactured as close to our site as possible.



HIGH PERFORMANCE

The world is changing at breakneck speed: space and tranquillity are becoming rare commodities. Whether in a creative open office, in a simple waiting room or in trendy restaurant concepts - people should feel comfortable in all rooms. We offer solutions that improve heavily frequented and acoustically stressed rooms: noticeably, audibly, sustainably.

Design without compromise: The time of carpet wallpaper and thick curtains in dim conference rooms is over. We will contain acoustic disturbance elements in every room without restricting modern design visions and architecture.

Sustainability without compromise: The construction industry is one of the biggest waste generators on our planet. This must change. We start with a product that is 100% recyclable. We achieve the UN Sustainable Development Goals (SDGs) for responsible consumption and production.

Unlimited inspiration: It is in the hands of the creative industries to reinvent flawed materials, products and business models, to model sustainability and inspire people. Let's get started!



SOUND-ABSORBING

The open and compressed felt structure is 40% thinner than comparable high-performance absorbers.



ROBUST

Very dimensionally stable, tear-resistant and cleanable without residues.



REGULATING

Pleasant indoor climate thanks to balancing temperature and humidity.



EASY TO PROCESS

Individually cut on the CNC cutting plotter, easily customisable on site.



FIRE SAFETY

European fire protection classification: B-s1/s2, d0, hardly any smoke development and no burning dripping.



MOLD-FREE

Because the fibre does not absorb water, the EchoBoard® dries very well.



EMISSION-FREE

Does not emit hazardous fibres or paint particles.



LIGHTFASTNESS

The fibres are dyed in the liquid state and do not fade.

The robust and easy-care basic elements EchoBoard® and EchoCoustic® can be used for a large number of individual design ideas and allow creative wishes regarding shapes, colours, perforation and areas of application.



COMPANY PROFILE

MATERIAL

CEILING

LIGHTING

WALLS

PARTITIONS

FURNITURE

ADDITIONAL ITEMS


CREATE



ECHOBOARD®

EchoBoard® is the basic material for optimal room acoustics. All ECHO**JAZZ** acoustic ceilings, acoustic luminaires, acoustic walls and acoustic room dividers are produced from this absorber. It can be processed in many ways to meet ever new creations and customer requirements. The ECHO**JAZZ** development team is happy to help develop customised solutions according to design proposals or DWG cutting plans. There is a choice of the classic 24mm or thinner 12mm. ECHO**JAZZ** offers its own mounting kits for easy installation.






ECHOBOARD® 12MM

EchoBoard® 12mm is a high-quality sound absorber with an aw of up to 0.90 and an NRC of up to 0.85, which can be used for ceilings, walls, on tables or freely in space.

Absorption coefficient: aw 0.90, class A


NAME	COLOUR	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBoard® 12mm	105	PET12REC105000A	1180x2380x12	1 pce	140
EchoBoard® 12mm	111	PET12REC111000A	1180x2380x12	1 pce	140
EchoBoard® 12mm	155	PET12REC155000A	1180x2380x12	1 pce	140
EchoBoard® 12mm	204	PET12REC204000A	1180x2380x12	1 pce	140
EchoBoard® 12mm	244	PET12REC244000A	1180x2380x12	1 pce	140
EchoBoard® 12mm	245	PET12REC245000A	1180x2380x12	1 pce	140
EchoBoard® 12mm	809	PET12REC809000A	1180x2380x12	1 pce	140

ECHOBOARD® 12MM



DATA SHEET ECHOBOARD® 12MM

EchoBoard® 12mm is a high-quality sound absorber with an aw of up to 0.90 and an NRC of up to 0.85, which can be used for ceilings, walls, on tables or freely in the room.

NAME	EchoBoard® 12mm
DIMENSIONS	11800mm (± 1mm) x 2380mm (± 1mm)
COMPOSITION	100% PET (> 50% recycled PET)
PET-BOTTLES* PER PANEL	140 PET-Bottles *The number of PET bottles refers to 500ml PET bottles with a bottle weight of 24g.
WEIGHT	2400g/m2 (± 10%)
MATERIAL THICKNESS	12mm
LIGHT FASTNESS ISO 105-B02-1994	> 7
FIRE PROTECTION EN 13501	B-s1, d0
VOC EMISSIONS ASTM D5116	< 0.5mg/m²/h
FORMALDEHYDE EMISSIONS ASTM D5116	< 0.1mg/m²/h
ENVIRONMENTAL CERTIFICATES	eco1 Minergie-Eco Cradle to Cradle Certified® Bronze M1 emission-free materials
ABSORPTION COEFFICIENT DIN EN ISO 11654 ASTM C423	aw 0.30 (Direct mounting) aw 0.60 (50mm Wall/ceiling distance) aw 0.90 (200mm Wall/ceiling distance) NRC = 0.45 (Direct mounting) NRC = 0.70 (50mm Wall/ceiling distance) NRC = 0.85 (200mm Wall/ceiling distance)
COLOURS	7
ABSORPTION GRAPH	


COLOURS ECHOBOARD® 12MM


Due to the nature of the material, surface and colour deviations are possible.

ECHOBOARD® 12MM CATEGORY I



ECHOBOARD® 12MM CATEGORY II






ECHOBOARD® 24MM

EchoBoard® 24mm is a high-quality sound absorber with an aw of up to 1.00 and an NRC of up to 0.95, which can be used for ceilings, walls, on tables or freely in space.

Absorption coefficient: aw 1.00, class A

NAME	COLOUR	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBoard® 24mm	105	PET24REC105000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	111	PET24REC111000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	133	PET24REC133000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	155	PET24REC155000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	183	PET24REC183000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	185	PET24REC185000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	204	PET24REC204000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	244	PET24REC244000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	245	PET24REC245000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	263	PET24REC263000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	372	PET24REC372000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	523	PET24REC523000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	563	PET24REC563000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	592	PET24REC592000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	675	PET24REC675000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	784	PET24REC784000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	801	PET24REC801000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	809	PET24REC809000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	833	PET24REC833000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	852	PET24REC852000A	1800x2380x24	1 pce	303
EchoBoard® 24mm	975	PET24REC975000A	1800x2380x24	1 pce	303

ECHOBOARD® 24MM



DATA SHEET ECHObOARD® 24MM


EchoBoard® 24mm is a high-quality sound absorber with an aw of up to 1.00 and an NRC of up to 0.95, which can be used for ceilings, walls, on tables or freely in the room.

NAME	EchoBoard® 24mm																												
DIMENSIONS	1800mm (± 1mm) x 2380mm (± 1mm)																												
COMPOSITION	100% PET (> 50% recycled PET)																												
PET-BOTTLES* PER PANEL	303 PET-Bottles *The number of PET bottles refers to 500ml PET bottles with a bottle weight of 24g.																												
WEIGHT	3400g/m2 (± 10%)																												
MATERIAL THICKNESS	24mm																												
LIGHT FASTNESS ISO 105-B02-1994	> 7																												
FIRE PROTECTION EN 13501	B-s2, d0																												
VOC EMISSIONS ASTM D5116	< 0.5mg/m²/h																												
FORMALDEHYDE EMISSIONS ASTM D5116	< 0.1mg/m²/h																												
ENVIRONMENTAL CERTIFICATES	eco1 Minergie-Eco Cradle to Cradle Certified® Bronze M1 emission-free materials																												
ABSORPTION COEFFICIENT EN ISO 11654 ASTM C423	aw 0.50 (Direct mounting) aw 0.65 (50mm Wall/ceiling distance) aw 1.00 (200mm Wall/ceiling distance) NRC = 0.70 (Direct mounting) NRC = 0.80 (50mm Wall/ceiling distance) NRC = 0.95 (200mm Wall/ceiling distance)																												
COLOURS	21																												
ABSORPTION GRAPH	<table><caption>Approximate data from the Absorption Graph</caption><thead><tr><th>Frequency (Hz)</th><th>0mm (aw)</th><th>50mm (aw)</th><th>200mm (aw)</th></tr></thead><tbody><tr><td>125</td><td>0.15</td><td>0.50</td><td>0.52</td></tr><tr><td>250</td><td>0.20</td><td>0.85</td><td>0.85</td></tr><tr><td>500</td><td>0.60</td><td>0.95</td><td>1.00</td></tr><tr><td>1000</td><td>0.90</td><td>1.00</td><td>0.88</td></tr><tr><td>2000</td><td>1.00</td><td>1.00</td><td>0.95</td></tr><tr><td>4000</td><td>1.00</td><td>1.00</td><td>1.00</td></tr></tbody></table>	Frequency (Hz)	0mm (aw)	50mm (aw)	200mm (aw)	125	0.15	0.50	0.52	250	0.20	0.85	0.85	500	0.60	0.95	1.00	1000	0.90	1.00	0.88	2000	1.00	1.00	0.95	4000	1.00	1.00	1.00
Frequency (Hz)	0mm (aw)	50mm (aw)	200mm (aw)																										
125	0.15	0.50	0.52																										
250	0.20	0.85	0.85																										
500	0.60	0.95	1.00																										
1000	0.90	1.00	0.88																										
2000	1.00	1.00	0.95																										
4000	1.00	1.00	1.00																										

COLOURS ECHObOARD® 24MM

Due to the nature of the material, surface and colour deviations are possible.

ECHObOARD® 24MM CATEGORY I



ECHObOARD® 24MM CATEGORY II



ECHOCOUSTIC®

EchoCoustic® is a high-quality sound absorber that is mounted on walls and ceilings without spacing. The 3-layer EchoCoustic® has a material thickness of 25mm and achieves a sensational absorption level of 85%. The surface impresses with its beautiful high-tech felt and is available in 34 colours. A stiffer layer gives EchoCoustic® its stability and makes the product pinable. EchoCoustic® can be pinned to any conceivable surface - optionally supported by a frame.






ECHOCOUSTIC® 25MM

EchoCoustic® 25mm is a high quality sound absorber with an aw of 0.80 and an NRC of 0.85, which is mounted on walls and ceilings without spacing.

Absorption coefficient: aw 1.00, class A

Discover our EchoCoustic® 25mm PROFILE edge profiles! (Page 139)

NAME	COLOUR	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCoustic® 25mm	124	PET25REC124000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	130	PET25REC130000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	137	PET25REC137000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	141	PET25REC141000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	142	PET25REC142000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	143	PET25REC143000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	144	PET25REC144000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	145	PET25REC145000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	152	PET25REC152000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	154	PET25REC154000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	158	PET25REC158000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	160	PET25REC160000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	164	PET25REC164000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	166	PET25REC166000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	168	PET25REC168000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	202	PET25REC202000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	227	PET25REC227000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	238	PET25REC238000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	239	PET25REC239000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	914	PET25REC914000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	915	PET25REC915000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	916	PET25REC916000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	917	PET25REC917000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	923	PET25REC923000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	925	PET25REC925000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	929	PET25REC929000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	931	PET25REC931000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	932	PET25REC932000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	941	PET25REC941000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	946	PET25REC946000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	948	PET25REC948000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	953	PET25REC953000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	966	PET25REC966000A	1190x2700x25	1 pce	177
EchoCoustic® 25mm	991	PET25REC991000A	1190x2700x25	1 pce	177




DATA SHEET ECHOCOUSTIC® 25MM

EchoCoustic® is a high quality sound absorber with an aw of 0.80 and an NRC of 0.85, which is mounted on walls and ceilings without spacing.

NAME	EchoCoustic® 25mm
DIMENSIONS	1190mm (± 1mm) x 2700mm (± 1mm)
COMPOSITION	100% PET (<50% recycled PET)
PET-BOTTLES* PER PANEL	177 PET-Bottles *The number of PET bottles refers to 500ml PET bottles with a bottle weight of 24g.
WEIGHT	2650g/m2 (± 10%)
MATERIAL THICKNESS	25mm (± 2mm)
LIGHT FASTNESS ISO 105-B02	> 6
FIRE PROTECTION EN 13501	B-s1, d0
VOC EMISSIONS CDPH STANDARD METHOD V1.1	< 1/2 Chronic Reference Exposure Level
FORMALDEHYDE EMISSIONS CDPH STANDARD METHOD V1.1	< 100ppm
ENVIRONMENTAL CERTIFICATIONS	eco1 Minergie-Eco Greentag GreenRate Level A M1 emission-free materials
ABSORPTION LEVEL ISO 11654 ASTM C423	aw = 0.80 (Direct mounting) NRC = 0.85 (Direct mounting)
COLOURS	34

ABSORPTION GRAPH



COLOURS ECHOCOUSTIC® 25MM

Due to the nature of the material, surface and colour deviations are possible.

ECHOCOUSTIC® 25MM CATEGORY I



ECHOCOUSTIC® 25MM CATEGORY II



ECHOFLAKES®

With the Zero Waste goal, ECHO**JAZZ** products are taken back and shredded together with offcuts into EchoFlakes®. Filled with these flakes, the EchoTower® increases the acoustic well-being and closes the material cycle of the ECHO**JAZZ** products.

Customised high-performance sound absorbers for a noticeable improvement in well-being and room quality. ECHOJAZZ products are made from recycled PET bottles. 100% Swiss design, 100% zero waste.



COMPANY PROFILE

MATERIAL

CEILING

LIGHTING


WALLS

PARTITIONS

FURNITURE

ADDITIONAL ITEMS

CREATE





ACOUSTIC-CEILINGS

Ceilings of rooms often offer the most space for optimising room acoustics. ECHO**JAZZ** acoustic ceilings allow sound absorption for the highest demands, are adapted to the millimetre and can be optimally integrated into any room architecture.

ECHOSAIL®


Acoustic sails are the key to defining room design and improving acoustics over large areas without affecting the layout of the room. The lightweight and maintenance-free elements can be cut to any shape and angle. The EchoSail® is screwed directly and suspended horizontally up to a length of 1000 mm; larger panels are suspended with frames and safety hooks.

ECHOSAIL® 12MM

Acoustic sails in various shapes and surface designs incl. suspension system up to 1500mm. The EchoSail® is suspended directly with screws up to a length of 1000mm. For all shapes over 1000mm long, the EchoSail® is suspended with a frame and safety hooks. The frame is white as standard and can be supplied in other colours to order.

Absorption coefficient: aw 0.90, class A
Edge finish: 90°, corner radius 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoSail® 12mm BUTTERFLY	ESA12BUT109081A	1091x811x49	3 pce	109
EchoSail® 12mm HEXAGON	ESA12HEX118102A	1180x1078x62	2 pce	99
EchoSail® 12mm RECTANGLE	ESA12REC238118A	2380x1180x62	1 pce	140
EchoSail® 12mm ROUND	ESA12ROU118118A	Ø1180x62	2 pce	109
EchoSail® 12mm SQUARE	ESA12SQU118118A	1180x1180x62	2 pce	139




ECHOSAIL® 24MM

Acoustic sails in various shapes and surface designs incl. suspension system up to 1500mm. The EchoSail® is suspended directly with screws up to a length of 1000mm. For all shapes over 1000mm long, the EchoSail® is suspended with a frame and safety hooks. The frame is white as standard and can be supplied in other colours to order.

Absorption coefficient: aw 1.00, class A
Edge finish: 90°, corner radius 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoSail® 24mm BUTTERFLY M	ESA24BUT109081A	1091x811x74	3 pce	154
EchoSail® 24mm BUTTERFLY L	ESA24BUT127171A	1273x1708x74	2 pce	252
EchoSail® 24mm HEXAGON M	ESA24HEX118102A	1180x1078x74	2 pce	141
EchoSail® 24mm HEXAGON L	ESA24HEX180156A	1800x1645x74	1 pce	165
EchoSail® 24mm RECTANGLE M	ESA24REC238118A	2380x1180x74	1 pce	199
EchoSail® 24mm RECTANGLE L	ESA24REC238180A	2380x1800x74	1 pce	303
EchoSail® 24mm ROUND M	ESA24ROU118118A	Ø1180x61	2 pce	155
EchoSail® 24mm ROUND L	ESA24ROU180180A	Ø1800x74	1 pce	180
EchoSail® 24mm SQUARE M	ESA24SQU118118A	1180x1180x74	2 pce	197
EchoSail® 24mm SQUARE L	ESA24SQU180180A	1800x1800x74	1 pce	230
EchoSail® 24mm STONE	ESA24ST0238180A	954-1530x820-971x61	4 pce	245



ECHOBaffle®

EchoBaffles® suspended vertically from the ceiling combine efficient acoustic well-being and striking design in open ceilings. It is visibly different from conventional ceilings. The open ceiling concepts also ensure the integration of the building structures in terms of climate technology while optimising the room acoustics at the same time. The inlays are plugged together on site and hooked into the grid ceiling without tools. The very light grid inlays can be easily removed, allowing easy access for maintenance of the building services.

The high acoustic performance of EchoBaffles® effectively dampens sound and “audibly” upgrades rooms with high noise levels. As a customised solution with individual design, the acoustic ceiling becomes a special eye-catcher and lends the room a lot of dynamism.

EchoBaffle® allows ceilings ranging from understated simplicity to dramatic sculptural shapes. The creations of the ECHOJAZZ designers are only a starting point, we are happy to work out individual designs on customer request. Complete reusability after use guaranteed – zero waste!

ECHOBaffle® 12MM

Acoustic baffles consisting of baffle blades incl. substructure and suspension.

Absorption coefficient: *aw* 0.45

Please specify the type of suspensions system when ordering. (Page 141)

When ordering, please specify whether you want the option with or without dovetail join. (Page 141)



You can always find the latest designs on our website: www.echojazz.com/echobaffle.

EchoBoard® 12mm colours are available depending on stock.

Individual EchoBaffle® solutions available on request!



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBaffle® 12mm PLAIN M	EBA12PLA139160	1390x1600x235-245	1 Pce	158
EchoBaffle® 12mm PLAIN L	EBA12PLA278160	2780x1600x235-245	1 Pce	201
EchoBaffle® 12mm CORNER M	EBA12COR139160	1390x1600x240-250	1 Pce	120
EchoBaffle® 12mm CORNER L	EBA12COR278160	2780x1600x240-250	1 Pce	306
EchoBaffle® 12mm VOGUE M	EBA12VOG139160	1390x1600x290-300	1 Pce	118
EchoBaffle® 12mm VOGUE L	EBA12VOG278160	2780x1600x290-300	1 Pce	227



ECHOBaffle® 24MM

Acoustic baffles consisting of baffle blades incl. substructure and suspension.

Absorption coefficient: *aw* 0.50

Please specify the type of suspensions system when ordering. (Page 141)



When ordering, please specify whether you want the option with or without dovetail join. (Page 141)

You can always find the latest designs on our website: www.echojazz.com/echobaffle.

Individual EchoBaffle® solutions available on request!



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBaffle® 24mm PLAIN M	EBA24PLA108160	1075x1600x235-245	1 Pce	293
EchoBaffle® 24mm PLAIN L	EBA24PLA236160	2360x1600x235-245	1 Pce	307
EchoBaffle® 24mm CORNER M	EBA24COR108160	1075x1600x240-250	1 Pce	248
EchoBaffle® 24mm CORNER L	EBA24COR236160	2360x1600x240-250	1 Pce	240
EchoBaffle® 24mm VOGUE M	EBA24VOG108160	1075x1600x290-300	1 Pce	247
EchoBaffle® 24mm VOGUE L	EBA24VOG236160	2360x1600x290-300	1 Pce	250



ECHOGRID®

EchoGrid® is a new inlay for grid ceilings. It's an innovative concept for grid ceilings that is visibly different from conventional ceilings. The high acoustic performance noticeably and audibly upgrades heavily frequented rooms. The inlays are plugged together on site and hooked into the grid ceiling without tools. The very light grid inlays can be easily removed, allowing easy access for maintenance of the building services. Complete reusability after use guaranteed - zero waste!

EchoGrid® allows ceilings ranging from understated simplicity to dramatic sculptural shapes. The creations of the ECHO**JAZZ** designers are only a starting point, we are happy to work out individual designs on customer request.

[COMPANY PROFILE](#)[MATERIAL](#)[CEILING](#)[LIGHTING](#)[WALLS](#)[PARTITIONS](#)[FURNITURE](#)[ADDITIONAL ITEMS](#)[CREATE](#)

ECHOGRID® 12MM

High-performance acoustic inlay for ceiling grids with textile surface made of 100% PET.
Absorption coefficient: aw 0.30 - 0.90, class A.
Suitable for grid sizes 625x625mm & 1250x625mm with profile width 24mm
Minimum distance between ceiling and grid: 200mm
Individual EchoGrid® solutions on request!
You can always find the latest designs on our website www.echojazz.com/echogrid



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoGrid® 12mm PLAIN 625 P	EGR12PLA063063P	619x65x600	6 Pce	129
EchoGrid® 12mm PLAIN 1250 P	EGR12PLA125063P	1245x65x600	3 Pce	132
EchoGrid® 12mm PLAIN 625 S	EGR12PLA063063S	619x65x600	12 Pce	149
EchoGrid® 12mm PLAIN 1250 S	EGR12PLA125063S	1245x65x600	6 Pce	152
EchoGrid® 12mm MATRIX 625 P	EGR12MAT063063P	619x72x599	8 Pce	144
EchoGrid® 12mm MATRIX 1250 P	EGR12MAT125063P	1245x72x599	4 Pce	145
EchoGrid® 12mm MATRIX 625 S	EGR12MAT063063S	619x72x599	11 Pce	147
EchoGrid® 12mm MATRIX 1250 S	EGR12MAT125063S	1245x72x599	6 Pce	162
EchoGrid® 12mm BLADES 625 P	EGR12BLA063063P	619x130x600	4 Pce	104
EchoGrid® 12mm BLADES 1250 P	EGR12BLA125063P	1250x130x600	2 Pce	115
EchoGrid® 12mm BLADES 625 S	EGR12BLA063063S	619x130x600	8 Pce	116
EchoGrid® 12mm BLADES 1250 S	EGR12BLA125063S	1250x130x600	4 Pce	120
EchoGrid® 12mm CROSSING 625 P	EGR12CR0063063P	619x120x600	4 Pce	108
EchoGrid® 12mm CROSSING 1250 P	EGR12CR0125063P	1250x150x600	2 Pce	131
EchoGrid® 12mm CROSSING 625 S	EGR12CR0063063S	619x120x600	8 Pce	121
EchoGrid® 12mm CROSSING 1250 S	EGR12CR0125063S	1245x150x600	4 Pce	144
EchoGrid® 12mm TILE 625	EGR12TIL063063A	619x12x605	8 Pce	150
EchoGrid® 12mm TILE 1250	EGR12TIL125063A	1244x12x605	4 Pce	151


ECHOGRID® 24MM

High-performance acoustic inlay for ceiling grids with textile surface made of 100% PET.
Absorption coefficient: aw 0.50 - 1.00, class A.
Suitable for grid sizes 625x625mm & 1250x625mm with profile width 24mm
Minimum distance between ceiling and grid: 200mm
Individual EchoGrid® solutions on request!
You can always find the latest designs on our website www.echojazz.com/echogrid




NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoGrid® 24mm TILE 625	EGR24TIL063063A	619x24x605	9 pce	239
EchoGrid® 24mm TILE 1250	EGR24TIL125063A	1244x24x605	4 pce	213


ECHOGRID® 12MM
PLAIN 625 PREMIUM




ECHOGRID® 12MM
PLAIN 1250 PREMIUM




ECHOGRID® 12MM
PLAIN 625 STANDARD




ECHOGRID® 12MM
PLAIN 1250 STANDARD




ECHOGRID® 12MM
MATRIX 625 PREMIUM




ECHOGRID® 12MM
MATRIX 1250 PREMIUM




ECHOGRID® 12MM
MATRIX 625 STANDARD




ECHOGRID® 12MM
MATRIX 1250 STANDARD



ECHOGRID® 12MM
BLADES 625 PREMIUM




ECHOGRID® 12MM
BLADES 1250 PREMIUM




ECHOGRID® 12MM
BLADES 625 STANDARD




ECHOGRID® 12MM
BLADES 1250 STANDARD




ECHOGRID® 12MM
CROSSING 625 PREMIUM




ECHOGRID® 12MM
CROSSING 1250 PREMIUM




ECHOGRID® 12MM
CROSSING 625 STANDARD




ECHOGRID® 12MM
CROSSING 1250 STANDARD




ECHOGRID® 12MM
TILE 625




ECHOGRID® 12MM
TILE 1250



ECHOGRID® 24MM
TILE 625



ECHOGRID® 24MM
TILE 1250





ACOUSTIC-LIGHTING

Lighting and room acoustics in one: sound-absorbing acoustic luminaires allow individual room design with maximum effect. The ECHO**JAZZ** range includes minimalist integrations with ceiling canopies as well as stand-alone luminaires with a striking design.

ECHOLED® EQ4

The elegant EchoLED® EQ4 task luminaire integrates almost invisibly into the high-performance acoustic ceiling, providing exceptional quality of light. The module offers all the possibilities of digital lighting control and is dimmable with DALI drivers as standard. The acoustic luminaire is supplied ready to plug in and can be easily connected or replaced.

EchoLED® EQ4 combines expertise from the fields of light and acoustics. ECHOJAZZ acoustics in interaction with Bartenbach lighting solutions.

Bartenbach [®]

ECHOLED® 24MM EQ4

Acoustic sail with fully integrated lighting with DALI dimming mode incl. substructure and suspension. The EchoLED® EQ4 luminaire is suspended with frame and safety hook. The frame is white as standard and can be supplied in other colours to order. Supplied without plug.



Absorption coefficient: aw 1.00, class A

Edge finish: 90°, corner radius 40mm

Available with ON/OFF and Casambi control on request.

Please specify the type of EchoLED® EQ4 PIN light module when ordering.(Page 143)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoLED® 24mm EQ4 SINGLE M	ELE24EQ1118118A	1180x1180x74	1 pce	99
EchoLED® 24mm EQ4 SINGLE L	ELE24EQ1180180A	1800x1800x74	1 pce	230
EchoLED® 24mm EQ4 DOUBLE M	ELE24EQ2180180A	1800x1800x74	1 pce	230
EchoLED® 24mm EQ4 DOUBLE L	ELE24EQ2238180A	2380x1800x74	1 pce	303
EchoLED® 24mm EQ4 QUAD L	ELE24EQ4238180A	2380x1800x74	1 pce	303



SAFETY HOOK



ECHOLED® UMBRA

The expressive acoustic luminaire is created for high rooms. It is available in two sizes and is ideal for strong acoustic absorption above workstations or conference tables. The EQ4 lighting module from Bartenbach offers all the possibilities of digital lighting control. The ideal distance from the table tops to the EchoLED® UMBRA should not be less than 170cm.

EchoLED® UMBRA combines expertise from the fields of light and acoustics. ECHOJAZZ acoustics in interaction with Bartenbach lighting solutions.

Bartenbach®




ECHOLED® 24MM UMBRA



Acoustic luminaire with DALI dimming mode incl. substructure and suspension. Supplied without plug.
[Absorption coefficient: aw 1.00, class A.](#)
[ON/OFF and Casambi control available on request](#)
[On request, the UMBRA L is available in overlengths](#)
[When ordering, please specify the type of EchoLED® EQ4 PIN light module. \(Page 143\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoLED® 24mm UMBRA M	ELE24UMB078059A	782x590x782	1 pce	117
EchoLED® 24mm UMBRA L	ELE24UMB236059A	2362x590x782	1 pce	300

ECHOLED® 24MM
UMBRA M



ECHOLED® 24MM
UMBRA L



SAFETY HOOK

ECHOLED® LINEAR

For comfort in the workplace, EchoLED® LINEAR was developed with a high-performance absorber and fully integrated linear luminaire. A combination of light quality, functionality and acoustic well-being for employees, paired with durability, maintenance safety and modularity. The fully assembled product only needs to be suspended and connected.



ECHOLED® 24MM LINEAR

Acoustic sail with fully integrated lighting with DALI dimming mode incl. substructure and suspension. Supplied without plug. The EchoLED® LINEAR luminaire is suspended with frame and safety hook. The frame is white as standard and can be supplied in other colours to order.

Absorption coefficient: *aw 1.00, class A*

Edge finish: *90°, corner radius 200mm*

ON/OFF and Casambi control available on request.


Please specify the type of EchoLED® LINEAR LED luminaire module when ordering. [\(Page 143\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoLED® 24mm LINEAR L1 RECTANGLE M	ELE24LL1238118A	2380x74x1180	1 pce	199
EchoLED® 24mm LINEAR L1 RECTANGLE L	ELE24LL1238180A	2380x74x1800	1 pce	303
EchoLED® 24mm LINEAR L2 RECTANGLE L	ELE24LL2238180A	2380x74x1800	1 pce	303
EchoLED® 24mm LINEAR M1 RECTANGLE L	ELE24LM1238180A	2380x74x1800	1 pce	303


ECHOLED® 24MM LINEAR
L1 RECTANGLE M




ECHOLED® 24MM LINEAR
L1 RECTANGLE L



ECHOLED® 24MM LINEAR
L2 RECTANGLE L



ECHOLED® 24MM LINEAR
M1 RECTANGLE L



SAFETY HOOK



ECHOLED® BAFFLE

The high-quality linear luminaire is framed in EchoBoard® for improved room acoustics. The quality luminaire developed with Bartenbach is characterised by energy efficiency, easy maintenance and excellent glare protection ($UGR < 15$). The module is DALI dimmable and offers all the possibilities of digital lighting control.




ECHOLED® 24MM BAFFLE®



Acoustic baffle with fully integrated lighting with DALI dimming mode incl. substructure and suspension. Supplied without plug.
Absorption coefficient: [aw 1.00, class A](#)
Edge finish: [90](#)
[ON/OFF and Casambi control available on request](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoLED® 24mm BAFFLE M	ELE24BAF151029A	1510x109x290	1 pce	65
EchoLED® 24mm BAFFLE L	ELE24BAF209029A	2090x109x290	1 pce	87

ECHOLED® 24MM
BAFFLE M



ECHOLED® 24MM
BAFFLE L



SAFETY HOOK



COMPANY PROFILE

MATERIAL

CEILING

LIGHTING

WALLS

PARTITIONS

FURNITURE

ADDITIONAL ITEMS

CREATE



ACOUSTIC-WALLS

Sound absorbers for wall mounting are an effective alternative to acoustic ceilings, especially in small and narrow rooms: space-saving, individually designable and flexibly applicable, acoustic walls offer sophisticated solutions.

ECHOFIELD®


The EchoField® panels are fixed with a cavity to the wall and provide optimal acoustic performance especially in small and narrow rooms. They are an alternative to EchoSail® ceiling sails, with which they share dimensions and shapes. They are mounted using a powder-coated metal frame that is simply plugged in and suspended using a wall profile.



ECHOFIELD® 12MM

Acoustic panels in various shapes and surface designs incl. wall suspension
Absorption coefficient: α_w 0.90, class A
Edge finish: 90°, corner radius 200mm



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoField® 12mm HEXAGON M	EFI12HEX118102A	1180x1078x62	2 pce	99
EchoField® 12mm RECTANGLE M	EFI12REC238118A	2380x1180x62	1 pce	140
EchoField® 12mm ROUND M	EFI12ROU118118A	Ø1180x62	2 pce	109
EchoField® 12mm SQUARE M	EFI12SQU118118A	1180x1180x62	2 pce	139



ECHOFIELD® 24MM

Acoustic panels in various shapes and surface designs incl. wall suspension
Absorption coefficient: α_w 1.00, class A
Edge finish: 90°, corner radius 200mm

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoField® 24mm HEXAGON M	EFI24HEX118102A	1180x1078x74	2 pce	141
EchoField® 24mm HEXAGON L	EFI24HEX180156A	1800x1645x74	1 pce	165
EchoField® 24mm RECTANGLE M	EFI24REC238118A	2380x1180x74	1 pce	199
EchoField® 24mm RECTANGLE L	EFI24REC238180A	2380x1800x74	1 pce	303
EchoField® 24mm ROUND M	EFI24ROU118118A	Ø1180x74	2 pce	155
EchoField® 24mm ROUND L	EFI24ROU180180A	Ø1800x74	1 pce	180
EchoField® 24mm SQUARE M	EFI24SQU118118A	1180x1180x74	2 pce	197
EchoField® 24mm SQUARE L	EFI24SQU180180A	1800x1800x74	1 pce	230



WANDHALTERUNG



ECHOBRIK®

Acoustic wall absorbers offer a good alternative to ceiling elements, especially in small and medium-sized meeting rooms where ceiling absorbers are not effective due to flutter sound. Installation is done using EchoGlue® spray contact adhesive. The acoustic panels can be easily combined with each other and complemented in colour thanks to broken edges.

ECHOBRICK® 12MM

Acoustic wall tiles with bevelling. Installation by means of biodegradable EchoGlue® spray adhesive (included).

Absorption coefficient: α_w 0.30/0.60 (0mm/50mm wall spacing)

Edge finish: 45° bevelling


Special dimensions and designs on request

The latest designs can always be found online at www.echojazz.com/echobrick




NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBrick® 12mm BOLLIWOOD	EBR12BOL280030A	2800x280x12	Set of 4	157
EchoBrick® 12mm BOOMERANG	EBR12BOO052030A	520x300x12	Set of 40	156
EchoBrick® 12mm CELL	EBR12CEL060069A	600x693x12	Set of 8	125
EchoBrick® 12mm DIAGONAL L	EBR12DIA060060A	600x600x12	Set of 8	144
EchoBrick® 12mm DIAGONAL M	EBR12DIA030030A	300x300x12	Set of 36	162
EchoBrick® 12mm DIAMOND L	EBR12DIM079046A	793x458x12	Set of 12	109
EchoBrick® 12mm DIAMOND M	EBR12DIM040023A	397x229x12	Set of 58	132
EchoBrick® 12mm GRADIENT	EBR12PAT026029A	255x294x12	Set of 48	135
EchoBrick® 12mm HEXAGON L	EBR12HEX070060A	693x600x12	Set of 8	125
EchoBrick® 12mm HEXAGON M	EBR12HEX030026A	294x255x12	Set of 48	191
EchoBrick® 12mm KALEIDO	EBR12KAL060069A	600x693x12	Set of 8	125
EchoBrick® 12mm PLANK M	EBR12PLK030140A	300x1400x12	Set of 8	168
EchoBrick® 12mm PLANK L	EBR12PLK030238A	300x2800x12	Set of 4	168
EchoBrick® 12mm PUZZLE	EBR12PUZ068068A	677x677x12	Set of 10	135
EchoBrick® 12mm SHIELD	EBR12SHI059029A	590x288x12	Set of 20	128
EchoBrick® 12mm TANGRAM	EBR12TAN280120A	2800x1200x12	Set of 35	144
EchoBrick® 12mm WALL L	EBR12WAL060030A	600x300x12	Set of 18	162
EchoBrick® 12mm WALL M	EBR12WAL030015A	300x150x12	Set of 72	162


ECHOBRICK® 12MM
BOLLIWOOD




ECHOBRICK® 12MM
BOOMERANG




ECHOBRICK® 12MM
CELL




ECHOBRICK® 12MM
DIAGONAL L




ECHOBRICK® 12MM
DIAGONAL M




ECHOBRICK® 12MM
DIAMOND L




ECHOBRICK® 12MM
DIAMOND M




ECHOBRICK® 12MM
GRADIENT




ECHOBRICK® 12MM
HEXAGON L




ECHOBRICK® 12MM
HEXAGON M




ECHOBRICK® 12MM
KALEIDO




ECHOBRICK® 12MM
PLANK M




ECHOBRICK® 12MM
PLANK L




ECHOBRICK® 12MM
PUZZLE




ECHOBRICK® 12MM
SHIELD




ECHOBRICK® 12MM
TANGRAM



ECHOBRICK® 12MM
WALL L



ECHOBRICK® 12MM
WALL M




ECHOBRICK® 24MM

Acoustic wall tiles with bevelling. Installation by means of biodegradable EchoGlue® spray adhesive (included).
Absorption coefficient: α_w 0.50/0.65 (0mm/50mm wall spacing)
Edge finish: 45° bevelling
Special dimensions and designs on request
The latest designs can always be found online at www.echojazz.com/echobrick




NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBrick® 24mm BOLLIWOOD	EBR24BOL240030A	2400x280x24	Set of 6	285
EchoBrick® 24mm BOOMERANG	EBR24B00052030A	520x300x24	Set of 48	265
EchoBrick® 24mm CELL	EBR24CEL060069A	600x693x24	Set of 11	243
EchoBrick® 24mm DIAGONAL L	EBR24DIA060060A	600x600x24	Set of 12	306
EchoBrick® 24mm DIAGONAL M	EBR24DIA030030A	300x300x24	Set of 48	306
EchoBrick® 24mm DIAMOND L	EBR24DIM079046A	793x458x24	Set of 15	193
EchoBrick® 24mm DIAMOND M	EBR24DIM040023A	397x229x24	Set of 77	269
EchoBrick® 24mm GRADIENT	EBR24PAT026029A	255x294x24	Set of 65	259
EchoBrick® 24mm HEXAGON L	EBR24HEX070060A	693x600x24	Set of 11	243
EchoBrick® 24mm HEXAGON M	EBR24HEX030026A	294x255x24	Set of 65	259
EchoBrick® 24mm KALEIDO	EBR24KAL060069A	600x693x24	Set of 11	243
EchoBrick® 24mm PLANK M	EBR24PLK030120A	300x1200x24	Set of 8	306
EchoBrick® 24mm PLANK L	EBR24PLK030240A	300x2400x24	Set of 6	306
EchoBrick® 24mm PUZZLE	EBR24PUZ071071A	677x677x24	Set of 12	230
EchoBrick® 24mm SHIELD	EBR24SHI059029A	590x288x24	Set of 28	253
EchoBrick® 24mm TANGRAM	EBR24TAN238177A	2380x1770x24	Set of 28	296
EchoBrick® 24mm WALL L	EBR24WAL060030A	600x300x24	Set of 24	306
EchoBrick® 24mm WALL M	EBR24WAL030015A	300x150x24	Set of 96	306


ECHOBRICK® 24MM
BOLLIWOOD




ECHOBRICK® 24MM
BOOMERANG




ECHOBRICK® 24MM
CELL




ECHOBRICK® 24MM
DIAGONAL L




ECHOBRICK® 24MM
DIAGONAL M




ECHOBRICK® 24MM
DIAMOND L




ECHOBRICK® 24MM
DIAMOND M




ECHOBRICK® 24MM
GRADIENT




ECHOBRICK® 24MM
HEXAGON L




ECHOBRICK® 24MM
HEXAGON M




ECHOBRICK® 24MM
KALEIDO




ECHOBRICK® 24MM
PLANK M




ECHOBRICK® 24MM
PLANK L




ECHOBRICK® 24MM
PUZZLE




ECHOBRICK® 24MM
SHIELD




ECHOBRICK® 24MM
TANGRAM



ECHOBRICK® 24MM
WALL L



ECHOBRICK® 24MM
WALL M



ECHOMONOC®


EchoMonoc® is the alternative to the EchoBrick® collection for the design of monochrome surfaces in large format - as a replacement or supplement to ceiling elements. For the highest acoustic performance, it is recommended to use the 24mm thick option. The 12mm thick option is recommended for tighter spaces. With both options, a significant improvement in room acoustics can be felt. EchoGlue® spray adhesive provides a quick and permanent installation.

ECHOMONOC® 12MM

Acoustic wall panels with bevelling. Installation by means of biodegradable EchoGlue® spray adhesive (included).
Absorption coefficient: *aw* 0.30/0.60 (0mm/50mm wall distance)
Special dimensions and designs on request
You can always find the latest designs online at www.echojazz.com/echomonoc




NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoMonoc® 12mm BALLOON LEFT	EM012BAL238118LE	1180x2380x12	1 pce	139
EchoMonoc® 12mm BALLOON RIGHT	EM012BAL238118RI	1180x2380x12	1 pce	139
EchoMonoc® 12mm CODE	EM012COD238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm DIAGONAL	EM012DIA238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm FRAGMENTS	EM012FRA238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm LEAVES	EM012LEA238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm SPHERE	EM012SPH238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm STREAMS	EM012STR238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm ZIGZAG	EM012ZIG238118A	1180x2380x12	1 pce	139
EchoMonoc® 12mm FISHBONE	EM012FIS238118A	1180x2360x12	1 pce	137
EchoMonoc® 12mm FLOW	EM012FLO238118A	1180x2360x12	1 pce	137
EchoMonoc® 12mm KINGSCROSS	EM012KIN238118A	1180x2360x12	1 pce	137
EchoMonoc® 12mm VERTIGO	EM012VER238118A	1180x2380x12	1 pce	139




ECHOMONOC® 24MM

Acoustic wall panels with bevelling. Installation by means of biodegradable EchoGlue® spray adhesive (included).
Absorption coefficient: *aw* 0.50/0.65 (0mm/50mm wall distance)
Special dimensions and designs on request
You can always find the latest designs online at www.echojazz.com/echomonoc



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoMonoc® 24mm BALLOON	EM024BAL238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm CODE	EM024COD238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm DIAGONAL	EM024DIA238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm FRAGMENTS	EM024FRA238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm LEAVES	EM024LEA238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm SPHERE	EM024SPH238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm STREAMS	EM024STR238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm ZIGZAG	EM024ZIG238180A	1800x2380x24	1 pce	303
EchoMonoc® 24mm FISHBONE	EM024FIS238180A	1770x2360x24	1 pce	296
EchoMonoc® 24mm FLOW	EM024FLO238180A	1770x2360x24	1 pce	296
EchoMonoc® 24mm KINGSCROSS	EM024KIN238180A	1770x2360x24	1 pce	296
EchoMonoc® 24mm VERTIGO	EM024VER238180A	1800x2380x24	1 pce	303




ACOUSTIC-PARTITIONS

Partition walls with sound insulation make it easy to divide rooms and optimise room acoustics in offices as well as in all other living and working environments. Available as mobile or permanently installed elements, they offer countless possibilities for room design.

ECHOCURTAIN®

As an acoustic room divider in an open-space office, the EchoCurtain® in 12mm and 24mm material thicknesses offers a flexible and transparent solution. The EchoCurtain® is suspended directly from the ceiling by means of a steel cable suspension, or optionally with a rail system. The acoustic room divider hangs seemingly floating in the room and provides a specific touch with cut-out perforations.



ECHOCURTAIN® 12MM

Suspended acoustic screens incl. suspension system

Absorption coefficient: *aw 0.90, class A*

Special dimensions and designs on request

This product is available with our perforations. [\(Page 159\)](#)



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCurtain® 12mm PLAIN	ECU12ECU118238A	1180x2380x12	1 pce	140

ECHOCURTAIN® 12MM
PLAIN



ECHOCURTAIN® 24MM

Suspended acoustic screens incl. suspension system

Absorption coefficient: *aw 1.00, class A*

Special dimensions and designs on request

This product is available with our perforations. [\(Page 159\)](#)



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCurtain® 24mm PLAIN	ECU24ECU180238A	1800 x 2380 x 24	1 pce	303

ECHOCURTAIN® 24MM
PLAIN®





ECHOTORRENT®


The EchoTorrent® acoustic partitions were specially developed for high rooms with a ceiling height of up to four metres, whereby the high-performance acoustic absorbers can be positioned at individual heights. The clamping elements are firmly screwed to the ceiling and floor. The acoustic elements are clamped to the connecting cables.

ECHOTORRENT® 12MM

Hanging acoustic screens incl. suspension system
Absorption coefficient: *aw 0.90, class A*
Special dimensions and designs on request

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoTorrent® 12mm DOT	ET012DOT079079B	1180x4000x34 / Ø790	1 pce	148

ECHOTORRENT® 12MM
DOT




ECHOTORRENT® 24MM

Hanging acoustic screens incl. suspension system
Absorption coefficient: *aw 1.00, class A*
Special dimensions and designs on request

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoTorrent® 24mm DOT	ET024DOT079079B	1180x4000x34 / Ø790	1 pce	208

ECHOTORRENT® 24MM
DOT



ECHOCOVE® ECO

Thanks to a plug-in system, the EchoCove® ECO and PALING movable walls offer endless combination possibilities. They can be assembled and reconfigured without tools. The high density of the lightweight material of these acoustic partitions allows for a frameless construction. The perforations create the desired degree of permeability and attention with sophisticated details.



ECHOCOVE® 24MM ECO 79

Frameless acoustic partition for installation on the floor (tool-free) excl. EchoCove® JOINER connectors.

Absorption coefficient: α_w 1.00, class A

Special dimensions and designs on request.

Please specify the joiner type when ordering. [\(Page 145\)](#)

This product is available with our perforations. [\(Page 159\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm ECO END 79 S	EC024END079118A	790x1180x24	1 pce	68
EchoCove® 24mm ECO END 79 M	EC024END079142A	790x1420x24	1 pce	79
EchoCove® 24mm ECO END 79 L	EC024END079180A	790x1800x24	1 pce	101
EchoCove® 24mm ECO STEP END 79 M	EC024STE079142A	790x1420x24	1 pce	79
EchoCove® 24mm ECO STEP END 79 L	EC024STE079180A	790x1800x24	1 pce	101
EchoCove® 24mm ECO MID 79 S	EC024MID079118A	790x1180x24	1 pce	68
EchoCove® 24mm ECO MID 79 M	EC024MID079142A	790x1420x24	1 pce	79
EchoCove® 24mm ECO MID 79 L	EC024MID079180A	790x1800x24	1 pce	101
EchoCove® 24mm ECO STEP MID 79 M	EC024STM079142A	790x1420x24	1 pce	79
EchoCove® 24mm ECO STEP MID 79 L	EC024STM079180A	790x1800x24	1 pce	101

ECHOCOVE® 24MM ECO
END 79 S



ECHOCOVE® 24MM ECO
END 79 M



ECHOCOVE® 24MM ECO
END 79 L



ECHOCOVE® 24MM ECO
STEP END 79 M



ECHOCOVE® 24MM ECO
STEP END 79 L



ECHOCOVE® 24MM ECO
MID 79 S



ECHOCOVE® 24MM ECO
MID 79 M



ECHOCOVE® 24MM ECO
MID 79 L



ECHOCOVE® 24MM ECO
STEP MID 79 M



ECHOCOVE® 24MM ECO
STEP MID 79 L



ECHOCOVE® 24MM ECO 159

Frameless acoustic partition for installation on the floor (tool-free) excl. EchoCove® JOINER connectors.

Absorption coefficient: [aw 1.00, class A](#)


Special dimensions and designs on request.

Please specify the joiner type when ordering. [\(Page 145\)](#)


This product is available with our perforations. [\(Page 159\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm ECO MID 159 S	EC024MID159118A	1585x1180x24	1 pce	137
EchoCove® 24mm ECO MID 159 M	EC024MID159142A	1585x1420x24	1 pce	159
EchoCove® 24mm ECO MID 159 L	EC024MID159180A	1585x1800x24	1 pce	202


ECHOCOVE® 24MM ECO
MID 159 S



ECHOCOVE® 24MM ECO
MID 159 M



ECHOCOVE® 24MM ECO
MID 159 L



ECHOCOVE® 24MM ECO 180

Frameless acoustic partition for installation on the floor (tool-free) excl. EchoCove® JOINER connectors.

Absorption coefficient: [aw 1.00, class A](#)


Special dimensions and designs on request.

Please specify the joiner type when ordering. [\(Page 145\)](#)


This product is available with our perforations. [\(Page 159\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm ECO MID 180 S	EC024MID180118A	1800x1180x24	1 pce	156
EchoCove® 24mm ECO MID 180 M	EC024MID180142A	1800x1420x24	1 pce	181
EchoCove® 24mm ECO MID 180 L	EC024MID180180A	1800x1800x24	1 pce	230


ECHOCOVE® 24MM ECO
MID 180 S



ECHOCOVE® 24MM ECO
MID 180 M



ECHOCOVE® 24MM ECO
MID 180 L



ECHOCOVE® PALING

Thanks to a plug-in system, the EchoCove® ECO and PALING movable walls offer endless combination possibilities. They can be assembled and reconfigured without tools. The high density of the lightweight material of these acoustic partitions allows for a frameless construction. The perforations create the desired degree of permeability and attention with sophisticated details.





ECHOCOVE® 24MM PALING


Frameless folding acoustic wall incl. EchoCove® JOINER pivot joint connector

Absorption coefficient: [aw 1.00, class A](#)

Special dimensions and designs on request


This product is available with our perforations. ([Page 159](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm PALING	EC024PAL039180A	2125x1800x230	1 set	297



ECHOCOVE® STAND

EchoCove® STAND offers a free-standing, frameless solution as a room divider or workstation partition. The panel is offered in four heights and two widths with maximum dimensions of 180cm by 180cm. The high-quality steel base ensures a secure stand. Assembly is tool-free.



ECHOcove® 24MM STAND

Frameless acoustic partition wall for installation on the floor, team tables or storage furniture incl. high-quality base, deep matt powder-coated (no tools required).


Absorption coefficient: α_w 1.00, class A

Colour of base: Black RAL9005

From an order quantity of 10 pieces, the foot is available in all RAL colours for a surcharge of 5%.

This product is available with our perforations. ([Page 159](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm STAND 160 S	EC024STA160059A	1600x590x200	1 set	67
EchoCove® 24mm STAND 160 M	EC024STA160118A	1600x1180x400	1 set	138
EchoCove® 24mm STAND 160 L	EC024STA160142A	1600x1420x400	1 set	161
EchoCove® 24mm STAND 160 XL	EC024STA160180A	1600x1800x400	1 set	204
EchoCove® 24mm STAND 180 S	EC024STA180059A	1800x590x200	1 set	75
EchoCove® 24mm STAND 180 M	EC024STA180118A	1800x1180x400	1 set	156
EchoCove® 24mm STAND 180 L	EC024STA180142A	1800x1420x400	1 set	181
EchoCove® 24mm STAND 180 XL	EC024STA180180A	1800x1800x400	1 set	230



ECHOCOVE® MOVE

Movable partitions allow open-plan offices to be temporarily separated and acoustically insulated. The lightweight EchoCove® MOVE solution offers a wide range of products that come in sizes up to 180cm x 180cm and in many colours. Thanks to the high-quality steel base and the castors with stoppers, the acoustic panels can be easily moved around the room and safely parked.






ECHOCOVE® 24MM MOVE


Frameless acoustic movable wall with high-quality base frame with castors incl. stoppers, deep matt powder-coated (no tools required).
Absorption coefficient: *aw 1.00, class A*
Colour of base: Black RAL9005
From an order quantity of 10 pieces, the foot is available in all RAL colours at a surcharge of 5%.
This product is available with our perforations. ([Page 159](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm MOVE LOW S	EC024MOV118142A	1180x1420x430	1 set	119
EchoCove® 24mm MOVE LOW M	EC024MOV160142A	1600x1420x430	1 set	161
EchoCove® 24mm MOVE LOW L	EC024MOV180142A	1800x1420x430	1 set	181
EchoCove® 24mm MOVE HIGH S	EC024MOV118180A	1180x1800x430	1 set	150
EchoCove® 24mm MOVE HIGH M	EC024MOV160180A	1600x1800x430	1 set	204
EchoCove® 24mm MOVE HIGH L	EC024MOV180180A	1800x1800x430	1 set	230


ECHOCOVE® 24MM MOVE
LOW S




ECHOCOVE® 24MM MOVE
LOW M




ECHOCOVE® 24MM MOVE
LOW L




ECHOCOVE® 24MM MOVE
HIGH S



ECHOCOVE® 24MM MOVE
HIGH M



ECHOCOVE® 24MM MOVE
HIGH L



ECHOCOVE® DESK

EchoCove® DESK separates workstations visually and acoustically. The standard adapters allow mounting on table tops from 16mm to 75mm thickness. Installation is quick and easy.



ECHOcove® 24MM DESK ONE


Frameless acoustic wall incl. high-quality table adapter, deep matt powder-coated.

Absorption coefficient: [aw 1.00, class A](#)

Please specify the table adapter type when ordering. [\(Page 147\)](#)

This product is available with our perforations. [\(Page 159\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm DESK ONE 470 S	EC024DE1118047A	1180x470x24	1 pce	39
EchoCove® 24mm DESK ONE 470 M	EC024DE1140047A	1400x470x24	1 pce	47
EchoCove® 24mm DESK ONE 470 L	EC024DE1160047A	1600x470x24	1 pce	53
EchoCove® 24mm DESK ONE 470 XL	EC024DE1180047A	1800x470x24	1 pce	60
EchoCove® 24mm DESK ONE 590 S	EC024DE1118059A	1180x590x24	1 pce	49
EchoCove® 24mm DESK ONE 590 M	EC024DE1140059A	1400x590x24	1 pce	59
EchoCove® 24mm DESK ONE 590 L	EC024DE1160059A	1600x590x24	1 pce	67
EchoCove® 24mm DESK ONE 590 XL	EC024DE1180059A	1800x590x24	1 pce	75





ECHOCOVE® 24MM DESK TWO

Frameless acoustic wall with 300mm privacy screen under the tabletop incl. high-quality table adapter, deep matt powder-coated.

Absorption coefficient: [aw 1.00, class A](#)

Please specify the table adapter type when ordering. [\(Page 147\)](#)

This product is available with our perforations. [\(Page 159\)](#)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCove® 24mm DESK TWO 470 XS	EC024DE2079077A	790x770x24	1 pce	43
EchoCove® 24mm DESK TWO 470 S	EC024DE2118077A	1180x770x24	1 pce	64
EchoCove® 24mm DESK TWO 470 M	EC024DE2140077A	1400x770x24	1 pce	76
EchoCove® 24mm DESK TWO 470 L	EC024DE2160077A	1600x770x24	1 pce	87
EchoCove® 24mm DESK TWO 470 XL	EC024DE2180077A	1800x770x24	1 pce	98
EchoCove® 24mm DESK TWO 590 XS	EC024DE2079089A	790x890x24	1 pce	50
EchoCove® 24mm DESK TWO 590 S	EC024DE2118089A	1180x890x24	1 pce	74
EchoCove® 24mm DESK TWO 590 M	EC024DE2140089A	1400x890x24	1 pce	88
EchoCove® 24mm DESK TWO 590 L	EC024DE2160089A	1600x890x24	1 pce	101
EchoCove® 24mm DESK TWO 590 XL	EC024DE2180089A	1800x890x24	1 pce	113

ECHOCOVE® 24MM
DESK TWO 470 XS



ECHOCOVE® 24MM
DESK TWO 470 S



ECHOCOVE® 24MM
DESK TWO 590 XS




ECHOCOVE® 24MM
DESK TWO 590 S



ECHOCOVE® 24MM
DESK TWO 470 M




ECHOCOVE® 24MM
DESK TWO 470 L



ECHOCOVE® 24MM
DESK TWO 590 M




ECHOCOVE® 24MM
DESK TWO 590 L



ECHOCOVE® 24MM
DESK TWO 470 XL



ECHOCOVE® 24MM
DESK TWO 590 XL





COMPANY PROFILE

MATERIAL

CEILING

LIGHTING

WALLS

PARTITIONS

FURNITURE

ADDITIONAL ITEMS

CREATE

ACOUSTIC-FURNITURE

Design and function combined in one: acoustic furniture are utility and design elements made of EchoBoard® for improving the sound environment in rooms of all kinds.



ECHOCRATE®

EchoCrate® is the elegant acoustic solution for storage space in a small area. The EchoBoard® wall panel can be configured in any colour and shape and can be used in a wide variety of areas. The seemingly floating wall shelf is mounted on a powder-coated metal frame or a customised solution.


For the first time, the design combines two recycling concepts of beverage packaging, PET bottles and wine crates. Recycled PET was used to produce the decorative acoustic board and the practical shelves are made from upcycled wooden crates.

ECHOCRATE® 24MM


Acoustic panels in various shapes and surface designs combined with storage made out of wooden crates incl. wall suspension.
Absorption coefficient: α_w 0.90, class A
Corner radius: 40mm
When ordering EchoCrate® RECTANGLE M & L items (ECR24REC079180- & ECR24REC120180-), please specify the type of suspension profile. (Page 151)

NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoCrate® 24mm HEXAGON LIGHT	ECR24HEX135118L	1350x1180x180mm	1 pce	91
EchoCrate® 24mm HEXAGON BALANCED	ECR24HEX135118B	1350x1180x180mm	1 pce	91
EchoCrate® 24mm HEXAGON COMPACT	ECR24HEX135118C	1350x1180x180mm	1 pce	91
EchoCrate® 24mm ROUND LIGHT	ECR24ROU125125L	1250x1250x180mm	1 pce	92
EchoCrate® 24mm ROUND BALANCED	ECR24ROU125125B	1250x1250x180mm	1 pce	92
EchoCrate® 24mm ROUND COMPACT	ECR24ROU125125C	1250x1250x180mm	1 pce	92
EchoCrate® 24mm SQUARE LIGHT	ECR24SQU120120L	1195x1195x180mm	1 pce	107
EchoCrate® 24mm SQUARE BALANCED	ECR24SQU120120B	1195x1195x180mm	1 pce	107
EchoCrate® 24mm SQUARE COMPACT	ECR24SQU120120C	1195x1195x180mm	1 pce	107
EchoCrate® 24mm RECTANGLE S LIGHT	ECR24REC079100L	790x1000x180mm	5 pce	296
EchoCrate® 24mm RECTANGLE S BALANCED	ECR24REC079100B	790x1000x180mm	5 pce	296
EchoCrate® 24mm RECTANGLE S COMPACT	ECR24REC079100C	790x1000x180mm	5 pce	296
EchoCrate® 24mm RECTANGLE M LIGHT	ECR24REC079180L	790x1800x180mm	1 pce	107
EchoCrate® 24mm RECTANGLE M BALANCED	ECR24REC079180B	790x1800x180mm	1 pce	107
EchoCrate® 24mm RECTANGLE M COMPACT	ECR24REC079180C	790x1800x180mm	1 pce	107
EchoCrate® 24mm RECTANGLE L LIGHT	ECR24REC120180L	1195x1800x180mm	1 pce	161
EchoCrate® 24mm RECTANGLE L BALANCED	ECR24REC120180B	1195x1800x180mm	1 pce	161
EchoCrate® 24mm RECTANGLE L COMPACT	ECR24REC120180C	1195x1800x180mm	1 pce	161



ECHOCRATE® 24MM
HEXAGON LIGHT



ECHOCRATE® 24MM
HEXAGON BALANCED




ECHOCRATE® 24MM
HEXAGON COMPACT




WALL SUSPENSION


ECHOCRATE® 24MM
ROUND LIGHT




ECHOCRATE® 24MM
ROUND BALANCED




ECHOCRATE® 24MM
ROUND COMPACT




ECHOCRATE® 24MM
SQUARE LIGHT




ECHOCRATE® 24MM
SQUARE BALANCED




ECHOCRATE® 24MM
SQUARE COMPACT




ECHOCRATE® 24MM
RECTANGLE S LIGHT




ECHOCRATE® 24MM
RECTANGLE S BALANCED




ECHOCRATE® 24MM
RECTANGLE S COMPACT




ECHOCRATE® 24MM
RECTANGLE M LIGHT




ECHOCRATE® 24MM
RECTANGLE M BALANCED




ECHOCRATE® 24MM
RECTANGLE M COMPACT




ECHOCRATE® 24MM
RECTANGLE L LIGHT



ECHOCRATE® 24MM
RECTANGLE L BALANCED



ECHOCRATE® 24MM
RECTANGLE L COMPACT





ECHOTOWER®

The EchoTower® is the pioneering product in zero noise and zero waste for any space. The acoustic column is cut from a sheet of EchoBoard®, the high-performance absorber made from recycled PET bottles. But that's not all. With a Zero Waste goal, ECHOJAZZ products are taken back and shredded into EchoFlakes® along with offcuts. Filled with these flakes, the EchoTower® increases acoustic well-being and closes the material cycle. The EchoTower® requires no assembly. A base, with or without castors, made of powder-coated sheet steel is optional.



archiproducts
DESIGN AWARDS
—
WINNER 2020



ECHOTOWER® 24MM

Free-standing acoustic column with optional adjustable base made of powder-coated steel (with or without castors).
Absorption coefficient: α_w 1.00, class A
More information about the product EchoTower® is available at www.echojazz.com/echotower




NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoTower® SQUARE M ECO	ETW24SQE040098A	396x980x396	1 pce	399
EchoTower® SQUARE M STAND	ETW24SQS040098A	550x982x550	1 pce	399
EchoTower® SQUARE M MOVE	ETW24SQM040098A	550x1057x550	1 pce	399
EchoTower® SQUARE L ECO	ETW24SQE040196A	396x1960x396	1 pce	798
EchoTower® SQUARE L STAND	ETW24SQS040196A	550x1962x550	1 pce	798
EchoTower® SQUARE L MOVE	ETW24SQM040196A	550x2037x550	1 pce	798


ECHOTOWER® 24MM
SQUARE M ECO



ECHOTOWER® 24MM
SQUARE M STAND



ECHOTOWER® 24MM
SQUARE M MOVE




ECHOTOWER® 24MM
SQUARE L ECO



ECHOTOWER® 24MM
SQUARE L STAND



ECHOTOWER® 24MM
SQUARE L MOVE




archiproducts
DESIGN AWARDS
—
WINNER 2020



MCART

The **MCart** workstation offers the combination of personal focus space with mobile adaptability. Its compact dimensions make it suitable for working in an open office as well as a home office. The starting point for the design is an open steel frame. **ECHOJAZZ** panels define a semi-enclosed workspace with optimal sound insulation, simple body and colour accent. The acoustics in the overall space are also significantly improved. A gas lift column allows the height of the worktop to be adjusted from 70 to 112 cm in a matter of seconds. From standing to sitting and vice versa in real time.






MCART 12MM

Mobile acoustic workstation on wheels with integrated plug-in bar and hydraulically height-adjustable table top.
Absorption coefficient: *aw 0.90, class A*
Please chose the right MCard ELECTRICAL SOCKET type (CH/EU/UK) when ordering. (Page 149)
More information about the product MCard is available at www.echojazz.com/mcart



NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
MCard 12mm ZERO	MCA12ST0120615	1228x1473x613	1 pce	145
MCard 12mm ONE	MCA12ST1150615	1456x1473x613	1 pce	189
MCard 12mm TWO	MCA12ST2170615	1681x1473x613	1 pce	232



ECHOBX®

In the Open Office, telephone calls and video calls at the workplace can be disturbing. The sound-protected EchoBox® ensures privacy and less disruptive noise. A room within a room for short and focused conversations, while standing or sitting. Thanks to the integrated height-adjustable shelf, there is also room for documents or a laptop. The conversation booth can be assembled in no time without tools. Its 7 parts weigh only 42kg.

The EchoBox® is a Swiss product that resulted from an intensive development cooperation between SYMA Profile and Fastening Technology and ECHOJAZZ Acoustic Absorbers.

We build Acoustic Inspiration.





ECHOBOX® 24MM

Stand-alone quiet booth with height-adjustable table and fold-away chair.

Absorption coefficient: α_w 1.00, class A


Tool-free assembly

More information about the product EchoBox® is available at www.echojazz.com/echobox




NAME	ARTICLE	W x H x D (in mm)	UNIT	PET-BOTTLES
EchoBox® 24mm SILVER FRAME	EB024SIL084220A	840x2200x840	1 pce	582
EchoBox® 24mm WHITE FRAME	EB024WEI084220A	840x2200x840	1 pce	582
EchoBox® 24mm BLACK FRAME	EB024BLA084220A	840x2200x840	1 pce	582


ECHOBOX® 24MM
SILVER FRAME



ECHOBOX® 24MM
WHITE FRAME



ECHOBOX® 24MM
BLACK FRAME





ADDITIONAL ITEMS

The installation should be from a single source and perfectly matched to the acoustic product. That is why ECHOJAZZ has developed its own installation kits and accessories that can be ordered as well. For optimal and seamless project support.




ECHOCOUSTIC® 25MM PROFILE


EchoCoustic® can optionally be installed with EchoProfile® aluminium profiles. With EchoCoustic® 25mm PROFILE profiles, installation is also possible without adhesive. An EchoCoustic® panel can be easily clamped between two profiles.
[This article is part of the product EchoCoustic®. \(Page 26\)](#)


NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL
EchoCoustic® 25mm PROFILE EDGE	EPR25EDG000000A	2750x16x27.8	1 pce	Aluminium
EchoCoustic® 25mm PROFILE SPLIT	EPR25SPL000000A	2750x30.6x27.8	1 pce	Aluminium

ECHOCOUSTIC® 25MM
PROFILE EDGE



ECHOCOUSTIC® 25MM
PROFILE SPLIT






ECHOBAFFLE® OPTIONS


EchoBaffle® ceilings are flexible in their application. The slats are available with closed edges or with dovetail connections. To hang the EchoBaffle®, there is the option of a direct suspension system or u-profiles.

This article is part of the product EchoBaffle®. (Page 42)


TITLE	OPTION	DESCRIPTION
Direct suspension / Closed edges	A	EchoBaffle® with direct suspension and closed edges
Direct suspension / Dovetail joints	B	EchoBaffle® with direct suspension and dovetail joints
U-Profile / Closed edges	C	EchoBaffle® u-profile suspension and closed edges
U-Profile / Dovetail joints	D	EchoBaffle® with u-profile suspension and dovetail joints




CLOSED EDGE



DOVETAIL JOINT



DIRECT SUSPENSION



U-PROFILE SUSPENSION



ECHOLED® EQ4 PIN BY BARTENBACH


The EchoLED® EQ4 PIN with four light points was developed in cooperation with Bartenbach, the competence partner for light sources.

[This article is part of the product EchoLED® EQ4. \(Page 52\)](#)

[This article is part of the product EchoLED® UMBRA. \(Page 56\)](#)

TYP	ARTICLE	W x H x D (in mm)	LIGHT COLOURS	LUMEN	PERFORMANCE
EQ4 3000	ELI00EQ3000000A	486x73.9x50 (4 x Ø30)	3000K	1320lm	22W
EQ4 4000	ELI00EQ4000000A	486x73.9x50 (4 x Ø30)	4000k	1320lm	22W

SUPPLY VOLTAGE	220-240V 50/60Hz
PROTECTION TYPE/-CLASS	IP 40 / Schutzklasse 1
COLOUR RENDERING INDEX	CRI > 90 (4000K)
COLOUR CONSISTENCY	< 3SDMC
ENERGIEEFFIZIENZ	A++
LIFETIME	> 50'000 h (L80 B10)
UGR	< 16



Bartenbach ^B


ECHOLED® LINEAR LED

The EchoLED® LINEAR LED light module with different light colours and dimensions.

[This article is part of the product EchoLED® LINEAR. \(Page 60\)](#)

TYP	ARTICLE	W x H x D (in mm)	LIGHT COLOUR	LUMEN	PERFORMANCE
M 3000	ELI0030K142000A	1420x69x90	3000K	4200lm	37W
L 3000	ELI0030K198000A	1980x69x90	3000K	5400lm	48W
M 4000	ELI0040K142000A	1420x69x90	4000K	4700lm	37W
L 4000	ELI0040K198000A	1980x69x90	4000K	6100lm	48W

SUPPLY VOLTAGE	230 V +/- 10% AC/DC
PROTECTION TYPE/-CLASS	IP 20 / Schutzklasse 1
COLOUR RENDERING INDEX	CRI > 80
COLOUR CONSISTENCY	< 3SDMC
ENERGIEEFFIZIENZ	A++
LIFETIME	> 50'000 h (L80 B10)
DIFFUSOR	Microprism cover
UGR	< 19






ECHOCOVE® JOINER


Plastic plug-in connector for mounting EchoCove® ECO and EchoCove® PALING partitions without tools.
This article is part of the product EchoCove® ECO. (Page 94)

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL
EchoCove® JOINER 90	EJ000090100000A	129x30x129	1 pair	ABS
EchoCove® JOINER 120	EJ000120100000A	112x30x129	1 pair	ABS
EchoCove® JOINER PIVOT	EJ000PIV300000A	28x25x209	1 pair	ABS
EchoCove® JOINER STRAIGHT	EJ000STR200000A	29x30x129	1 pair	ABS
EchoCove® JOINER T	EJ000TJO100000A	197x30x129	1 pair	ABS
EchoCove® JOINER X	EJ000XJO100000A	229x30x229	1 pair	ABS


ECHOCOVE® JOINER
120




ECHOCOVE® JOINER
90




ECHOCOVE® JOINER
PIVOT




ECHOCOVE® JOINER
STRAIGHT



ECHOCOVE® JOINER
T



ECHOCOVE® JOINER
X





ECHOcove® DESK ADAPTER

Powder coated metal adapter for mounting EchoCove® 24mm DESK ONE and DESK TWO desk dividers.


Colour adapter: [Black RAL9005](#)

From an order quantity of 20 sets, the desk adapters are available in all RAL colours at a surcharge of 5%.


This article is part of the product EchoCove® DESK. ([Page 112](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL
EchoCove® DESK ADAPTER A	EAD00ECA000000A	25x200x102 (Direct mounting)	1 pair	Powder coated steel
EchoCove® DESK ADAPTER B	EAD00ECB000000A	25x218x68 (Clamping range up to 30mm)	1 pair	Powder coated steel
EchoCove® DESK ADAPTER C	EAD00ECC000000A	25x262x68 (Clamping range 46-75mm)	1 pair	Powder coated steel


ECHOcove®
ADAPTER A



ECHOcove®
ADAPTER B



ECHOcove®
ADAPTER C





Mcart ELECTRICAL SOCKET


Powder coated metal adapter for mounting EchoCove® 24mm DESK ONE and DESK TWO desk dividers.

Colour adapter: [Black RAL9005](#)


This article is part of the product MCart. ([Page 128](#))

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL
CH	MCA12ELS00CH00A	215x37x50	1 pce	Stahl pulverbeschichtet
EU	MCA12ELS00EU00A	215x37x50	1 pce	Stahl pulverbeschichtet
UK	MCA12ELS00UK00A	215x37x50	1 pce	Stahl pulverbeschichtet


Mcart ELECTRICAL SOCKET
CH



Mcart ELECTRICAL SOCKET
EU



Mcart ELECTRICAL SOCKET
UK






ECHOCRATE® SUSPENSION PROFILE

Depending on how the EchoCrate® RECTANGLE M & L products are hung, a different suspension profile is required. Please specify the correct suspension profile when ordering.

This article relates to the products EchoCrate® RECTANGLE M & L. (Page 122)

NAME	ARTICLE	W x H x D (in mm)	UNIT	MATERIAL
Horizontal Orientation	EPR00APR001050A	1050x50x20	1 pce	Steel powdercoated
Vertical Orientation	EPR00APR000550A	550x50x20	1 pce	Steel powdercoated


SUSPENSION PROFILE
HORIZONTAL ORIENTATION



SUSPENSION PROFILE
VERTICAL ORIENTATION



Our material can be very well customised. The large selection of colours is just the beginning. The surface can be cut, perforated or even printed on. Are you inspired by the EchoBoard® or another of our products? Don't hesitate to ask and maybe our design department already has a solution ready.



CREATE



COLOURS

Let yourself be inspired by our colourful selection of colours. The fibres dyed in a liquid state do not fade and are very colourfast. For larger projects, we will even be happy to create your personal colour shade.

COLOURS

Due to the nature of the material, surface and colour deviations are possible.
You can always find the latest colour moods online at www.echojazz.com/colours



801
SUNFLOWER



592
PUMPKIN



852
CHILI



784
BUBBLEGUM



675
AUBERGINE



563
DEEP



372
SANTORINI



155
AQUA



523
MALDIVES



833
AVENTURINE



133
FORREST



245
ASPHALT



105
SNOW



111
MOUSE



244
KOALA



809
BEACH



204
MOCCA



185
CROCODILE



183
LIME



263
KERMIT




975
OLIVE

PERFORATIONS

All products are cut to order at ECHOJAZZ. The possibilities for perforation are as individual as the sizes and shapes. In addition to your own pattern ideas or company logos, we also offer a current collection designed by our designers.

PERFORATIONS


Perforations as an additional option for various ECHOJAZZ products.
Special dimensions and designs on request
You can always find the latest designs online at www.echojazz.com/perforations




SPARKLY – K




PEN – L




MESH – M




SPIDER – T




BLOCKS – U




BASILIKA – V




JUNGLE – N




BEAM – O




ZEN – P




CELTIC – W




PULL – X




ARC – Y



PETALS – Q



CITY – R



GECKO – S



ECHOJAZZ

INSPIRED BY ACOUSTICS AND SUSTAINABILITY

100% PET ACOUSTIC ABSORBERS

EN-20211223